



MEDICAL POLICY

MEDICAL POLICY DETAILS	
Medical Policy Title	NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING
Policy Number	8.01.18
Category	Therapy/Rehabilitation
Effective Date	11/29/01
Revised Date	05/22/03, 06/24/04, 06/23/05, 06/22/06, 06/28/07, 06/26/08, 08/27/09, 08/26/10, 08/25/11, 08/23/12, 08/22/13, 02/27/14, 02/26/15, 02/25/16, 04/27/17, 02/28/18, 02/28/19
Product Disclaimer	<ul style="list-style-type: none"> • If a product excludes coverage for a service, it is not covered, and medical policy criteria do not apply. • If a commercial product (including an Essential Plan product) or a Medicaid product covers a specific service, medical policy criteria apply to the benefit. • If a Medicare product covers a specific service, and there is no national or local Medicare coverage decision for the service, medical policy criteria apply to the benefit.

POLICY STATEMENT

Based upon our criteria and review of the peer-reviewed literature, nutritional therapy/nutritional counseling is considered **medically appropriate** for chronic diseases/conditions in which dietary adjustment has a therapeutic role.

Examples of diseases/conditions in which dietary adjustment has a therapeutic role include, but are not limited to:

- I. *Obesity*, as determined by:
 - A. a Body Mass Index (BMI) of greater than 30 kg/m² in adults; or
 - B. BMI above the 85th percentile for age in children.
- II. *Eating disorders*, in conjunction with a behavioral health program, including, but not limited to:
 - A. anorexia nervosa; and
 - B. bulimia.
- III. *Metabolic disorders*, including:
 - A. diabetes (e.g., newly diagnosed diabetes, uncontrolled diabetes, gestational diabetes) or prediabetes;
 - B. hyperlipidemia;
 - C. metabolic syndrome (a.k.a. insulin resistance syndrome and syndrome X); and
 - D. severe vitamin or mineral deficiencies.
- IV. *Certain inborn errors of metabolism*, including:
 - A. branch-chain ketonuria;
 - B. galactosemia;
 - C. hereditary fructose intolerance;
 - D. homocystinuria;
 - E. phenylketonuria (PKU); and
 - F. porphyries.
- V. *Malabsorption or storage disorders*, including:
 - A. amyloidosis (primary and secondary);
 - B. celiac disease;
 - C. chronic intestinal pseudo-obstruction (Ogilvie's syndrome);
 - D. gastroesophageal reflux (GERD);
 - E. glycogen storage disorders (e.g., Anderson's disease, Forbes's disease, Hers' disease, McArdle's disease, Pompe's disease, Tarui's disease, and Von Gierke's disease),

Medical Policy: NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING

Policy Number: 8.01.18

Page: 2 of 6

- F. inflammatory bowel disease (e.g., Crohn’s disease, ulcerative colitis); and
- G. lipid storage disorders (e.g., Fabry’s disease, Gaucher’s disease, and Neimann-Pick disease).

- VI. *Multiple or severe food allergies*, which, if left untreated, would cause malnourishment, chronic physical disability, mental retardation or death.
- VII. *Malnourishment or malnutrition* of patients with a swallowing impairment or dysfunction who require nutritional guidance.
- VIII. *Chronic renal insufficiency or failure*.
- IX. *Hypertension*.

Refer to Corporate Medical Policy #8.01.13 regarding Speech Pathology and Therapy.

Refer to Corporate Medical Policy #10.01.03 regarding Enteral Nutrition.

Refer to Corporate Medical Policy #11.01.01 regarding Medical/ Non-Surgical Weight Management Programs and Services.

Refer to Corporate Medical Policy #11.01.04 regarding Total Parenteral Nutrition (TPN) or Hyperalimentation.

POLICY GUIDELINES

- I. Nutrition therapy is a service provided by a certified dietician/nutritionist. Nutrition therapy for diabetes may be provided by a certified diabetic educator (CDE).
- II. Any materials, supplies, and dietary supplements (e.g., Optifast) are generally excluded by the member’s subscriber contract and are, therefore, **ineligible for coverage**.

DESCRIPTION

Nutrition therapy or nutritional counseling involves the assessment of the person’s overall nutritional status, followed by the assignment of individualized diet, therapy, and/or specialized nutrition therapies to treat a chronic illness or condition.

New York State Law mandates that health insurance policies, plans, and contracts that provide medical coverage for physician services in a physician's office include coverage for diabetes self-management education, to ensure that persons with diabetes are educated as to the proper self-management and treatment of their diabetic condition, including information on proper diets. Coverage for self-management education and education relating to diet shall be limited to visits medically necessary upon the diagnosis of diabetes, where a physician diagnoses a significant change in the patient's symptoms or conditions which necessitates a change in a patient's self-management, or where reeducation or refresher education is necessary.

CODES

- *Eligibility for reimbursement is based upon the benefits set forth in the member’s subscriber contract.*
- ***CODES MAY NOT BE COVERED UNDER ALL CIRCUMSTANCES. PLEASE READ THE POLICY AND GUIDELINES STATEMENTS CAREFULLY.***
- *Codes may not be all inclusive as the AMA and CMS code updates may occur more frequently than policy updates.*

CPT Codes

Code	Description
97802	Medical nutrition therapy; initial assessment and intervention, individual, face to face with the patient, each 15 minutes
97803	re-assessment and intervention, individual, face to face with the patient, each 15 minutes

Medical Policy: NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING**Policy Number: 8.01.18****Page: 3 of 6**

Code	Description
97804	group (2 or more individual(s)), each 30 minutes

*Copyright © 2020 American Medical Association, Chicago, IL***HCPCS Codes**

Code	Description
G0108	Diabetes outpatient self-management training services, individual, per 30 minutes
G0109	Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes
G0270	Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face to face with the patient, each 15 minutes
G0271	group (2 or more individuals), each 30 minutes
S9140	Diabetic management program, follow-up visit to non-MD provider
S9452	Nutrition class, non-physician provider, per session
S9455	Diabetic management program, group session
S9465	Diabetic management program, dietitian visit
S9470	Nutritional counseling, dietitian visit

Revenue Codes

Code	Description
942	Education/Training (including dietary therapy)

ICD10 Codes

Code	Description
C32.0-C32.9	Malignant neoplasm of the larynx (code range)
E10.10-E10.9	Type 1 diabetes mellitus (code range)
E11.00-E11.9	Type 2 diabetes mellitus (code range)
E13.00-E13.9	Other specified diabetes mellitus (code range)
E20.1	Pseudohypoparathyroidism
E40-E46	Malnutrition (code range)
E65	Localized adiposity
E66.01-E66.09	Obesity due to excess calories (code range)
E66.1	Drug-induced obesity
E66.2	Morbid (severe) obesity with alveolar hypoventilation
E66.8	Other obesity
E66.9	Obesity, unspecified
E67.0-E67.8	Other hyperalimentation (code range)
E68	Sequelae of hyperalimentation
E70.0-E70.9	Disorders of aromatic amino acid metabolism (code range)
E71.0-E71.39	Disorders of branched chain amino acid metabolism (code range)
E72.00-E72.9	Other disorders of amino-acid metabolism (code range)

Medical Policy: NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING**Policy Number: 8.01.18****Page: 4 of 6**

Code	Description
E73.0-E73.9	Lactose intolerance (code range)
E74.00-E74.9	Other disorders of carbohydrate metabolism (code range)
E75.21-E75.249	Other sphingolipidosis (code range)
E75.3	Sphingolipidosis, unspecified
E75.5-E75.6	Other and unspecified lipid storage disorders (code range)
E77.0-E77.9	Disorders of glycoprotein metabolism (code range)
E78.00-E78.9	Disorders of lipoprotein metabolism and other lipidemias (code range)
E80.0-E80.29	Disorders of porphyrin and bilirubin metabolism (code range)
E83.00-E83.19; E83.30-E83.9	Disorders of mineral metabolism (code range)
E84.0-E84.9	Cystic fibrosis (code range)
E85.0-E85.9	Amyloidosis (code range)
E86.0-E86.9	Volume depletion (code range)
E87.0-E87.8	Other disorders of fluid electrolyte and acid-base balance (code range)
E88.01-E88.2; E88.81-E88.89	Other and unspecified metabolic disorders (code range)
F50.00-F50.9	Eating disorders (code range)
I10	Essential (primary) hypertension
I11.0-I11.9	Hypertensive heart disease (code range)
I12.0-I12.9	Hypertensive chronic kidney disease (code range)
I13.0-I13.2	Hypertensive heart and chronic kidney disease (code range)
I15.0-I15.9	Secondary hypertension (code range)
I69.091	Dysphagia following nontraumatic subarachnoid hemorrhage
I69.191	Dysphagia following nontraumatic intracerebral hemorrhage
I69.291	Dysphagia following other nontraumatic intracranial hemorrhage
I69.391	Dysphagia following cerebral infarction
I69.891	Dysphagia following other cerebrovascular disease
I69.991	Dysphagia following unspecified cerebrovascular disease
K21.0-K21.9	Gastro-esophageal reflux disease (code range)
K22.2	Esophageal obstruction
K31.84	Gastroparesis
K50.00-K50.919	Crohn's disease (code range)
K51.00-K51.919	Ulcerative colitis (code range)
K56.690- K56.699	Other intestinal obstruction (code range)
K59.00-K59.09	Constipation (code range)
K90.0	Celiac disease
L27.2	Dermatitis due to ingested food
N18.1-N18.9	Chronic kidney disease (code range)
O24.410- O24.439	Gestational diabetes mellitus (code range)

Medical Policy: NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING

Policy Number: 8.01.18

Page: 5 of 6

Code	Description
O99.810- O99.815	Abnormal glucose complicating pregnancy, childbirth and the puerperium (code range)
R13.10-R13.19	Dysphagia (code range)
R15.0-R15.9	Fecal incontinence (code range)
R62.51	Failure to thrive (child)
R63.0	Anorexia
R63.2	Polyphagia
R63.3	Feeding difficulties
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
R73.03	Prediabetes
Z91.010- Z91.018	Food allergy status (code range)

REFERENCES

- *American Academy of Pediatrics. Prevention of pediatric overweight and obesity. Policy statement. Pediatrics 2003 Aug;112(2):424-30, reaffirmed Oct 2006.
- American Diabetes Association. Standards of medical care in diabetes - 2020. Diabetes Care 2020 Jan;43(Suppl 1).[http://professional.diabetes.org/content/clinical-practice-recommendations] accessed 1/3/20.
- *American Dietetic Association. Position of the American Dietetic Association: integration of medical nutrition therapy and pharmacotherapy. J Am Diet Assoc 2010 Jun;110(6):950-6.
- *American Dietetic Association. Position of the American Dietetic Association: nutrition intervention in the treatment of eating disorders. J Am Diet Assoc 2011 Aug;111(8):1236-41.
- *American Dietetic Association. Position of the American Dietetic Association: interventions for the prevention and treatment of pediatric overweight and obesity. J Am Diet Assoc 2013 Oct;113(10):1375-94.
- *American Society of Metabolic and Bariatric Surgery. Allied health nutritional guidelines for the surgical weight loss patient. Surg Obes Relat Dis 2008 Sep-Oct;4(5 Suppl):S73-108.
- *August DA, et al. A.S.P.E.N. clinical guidelines: nutrition support therapy during adult anticancer treatment and in hematopoietic cell transplantation. JPEN J Parenter Enteral Nutr 2009 Sep-Oct;33(5):472-500.
- Benson GA, et al. Impact of ENHANCED (diEtitiaNs Helping pAtieNts CarE for Diabetes) telemedicine randomized controlled trial on diabetes optimal care outcomes in patients with type 2 diabetes. J Acad Nutr Diet 2019 Apr;119(4):585-598.
- Beto JA, et al. Medical nutrition therapy in adults with chronic kidney disease: integrating evidence and consensus into practice for the generalist registered dietitian nutritionist. J Acad Nutr Diet. 2014 Jul;114(7):1077-87.
- Evert AB, et al. Nutrition therapy recommendations for the management of adults with diabetes. Diabetes Care 2014 Jan;37 Suppl 1:S120-43.
- *Franz MJ, et al, The evidence for medical nutrition therapy for type 1 and type 2 diabetes in adults. J Am Diet Assoc. 2010 Dec;110(12):1852-89.
- *Mahlungulu S, et al. Nutritional interventions for reducing morbidity and mortality in people with HIV. Cochrane Database Syst Rev 2007 Jul 18;(3):CD004536.

Medical Policy: NUTRITIONAL THERAPY/NUTRITIONAL COUNSELING

Policy Number: 8.01.18

Page: 6 of 6

Marincic PZ, et al. Diabetes self-management education and medical nutrition therapy: a multisite study documenting the efficacy of registered dietitian nutritionist interventions in the management of glycemic control and diabetic dyslipidemia through retrospective chart review. J Acad Nutr Diet 2019 Mar;19(3):449-463.

*National Institutes of Health. Third report of the National Cholesterol Education Program (NCEP) expert panel on detection, evaluation and treatment of high blood cholesterol in adults (Adult Treatment Panel III). NIH Publication No. 02-5215. 2002 Sep, updated 2004.

*National Kidney Foundation KDOQI Work Group. KDOQI clinical practice guideline for nutrition in children with CKD: 2008 update. Am J Kidney Dis 2009 Mar;53(3 Suppl 2):S11-104.

New York Insurance Law Insurance Law §3216(i)(15-a), §3221(k)(7); §4303(u)
[<http://public.leginfo.state.ny.us/lawsrch.cgi?NVLWO:>] Accessed 1/3/20.

*Ozier AD and Henry BW; American Dietetic Association. Position of the American Dietetic Association: nutrition intervention in the treatment of eating disorders. J Am Diet Assoc 2011 Aug;111(8):1236-41.

Reinders I, et al. Effectiveness of nutritional interventions in older adults at risk of malnutrition across different health care settings: Pooled analyses of individual participant data from nine randomized controlled trials. Clin Nutr 2019 Aug;38(4):1797-1806.

Rhodes KS, et al. Medical nutrition therapy is the essential cornerstone for effective treatment of "refractory" severe hypertriglyceridemia regardless of pharmaceutical treatment: Evidence from a Lipid Management Program. J Clin Lipidol. 2015 Jul-Aug;9(4):559-67.

Riccardo C, et al. The integrating nutritional therapy in oncology (INTO) project: rationale, structure and preliminary results. ESMO Open. 2017 Jul 19;2(3):e000221.

*Sabery N, et al. A.S.P.E.N. clinical guidelines: nutrition support of children with human immunodeficiency virus infection. JPEN J Parenter Enteral Nutr 2009 Nov-Dec;33(6):588-606.

Ventura Marra M, et al. A pilot randomized controlled trial of a telenutrition weight loss intervention in middle-aged and older men with multiple risk factors for cardiovascular disease. Nutrients 2019 Jan 22;11(2).

Williams LT, et al. How effective are dietitians in weight management? A systematic review and meta-analysis of randomized controlled trials. Healthcare (Basel) 2019 Feb 1;7(1).

*Key Article

KEY WORDS

Medical nutrition therapy; MNT; Nutritional therapy; Nutritional Therapy Effectiveness.

CMS COVERAGE FOR MEDICARE PRODUCT MEMBERS

There is currently a National Coverage Determination (NCD) for Medical Nutrition Therapy. Please refer to the following website for Medicare Members: <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=252&ncdver=1&CoverageSelection=Both&ArticleType=All&PolicyType=Final&s=New+York+-+Entire+State&KeyWord=Medical+Nutrition+Therapy&KeyWordLookUp=Title&KeywordSearchType=And&bc=gAA AABAAAA&>.